


Fruit juice and Tea drink

果汁、茶热灌装饮料





饮料机械专业制造商
Beverage Line Professional Manufacturer

Si Chuan United Industrial Co.,Ltd

Fruit juice and Tea drink 果汁前处理



Technical Parameter 技术参数

型号 Model	冲瓶头数 Washing heads	灌装头数 Filling heads	旋盖头数 Capping heads	生产能力(瓶/小时) Production Capacity(b/h)	主电机功率(kw) Power of main motor(kw)
CXGF50-50-15	50	50	15	24000	7.5
CXGF60-60-18	60	60	18	28000	12
CXGF80-80-20	80	80	20	36000	15



饮料机械专业制造商
Beverage Line Professional Manufacturer

Si Chuan United Industrial Co.,Ltd

Fruit juice and Tea drink 果汁、茶热灌装饮料

RXGF 三合一热灌装系统适用于聚酯瓶、玻璃瓶灌装茶饮料、果汁饮料及功能饮料等。灌装动作流畅、快速、灌装精度高，封口可靠、物料损失低等功能，有效避免瓶口二次污染，全过程高度自动化。只需更换等量部件，即可实现不同瓶之间的转换。

本系统与其他相关系统组成成套生产线，提供整套热灌装处理方案。



This 3-in-1 hot filling system is used for filling tea, juice and functional drinks. The material of the bottles can be PET , glass and so on. The function of fluent and fast filling action, high filling precision, reliable capping and low material loss makes it effectively prevent secondary pollution of the neck with high automation in the whole process. It can achieve the replacement of different bottles only by exchanging a bit of parts.

This system can also form complete set of production line with other related systems, providing proposals for full-set of hot filling.



Technical Parameter 技术参数

型号 Model	冲瓶头数 Washing heads	灌装头数 Filling heads	旋盖头数 Capping heads	生产能力(瓶/小时) Production Capacity(b/h)	主电机功率(kw) Power of main motor(kw)
RXGF18-18-6	18	18	6	5000	3
RXGF24-24-8	24	24	8	8000	4.5
RXGF32-32-10	32	32	10	12000	6